

XFUSION - 5288 V6********-1P: H52H-06*******-1P

| Specifications | |
|--|---|
| · | |
| ENERGY STAR Unique ID: | 3360734 |
| ENERGY STAR Partner: | xFusion Digital Technologies Co., Ltd. |
| Brand Name: | XFUSION |
| Model Name: | 5288 V6********1P |
| Model Number: | H52H-06*******1P |
| Form Factor: | Rack-mount |
| Resilient System: | No |
| Available Expansion Slots: | 8 |
| Operating Systems Supported: | Windows,Linux,Other |
| Power Saving Features Available: | Dynamic voltage and frequency scaling of processor(s) |
| Product Processor Socket Count: | 2 |
| Available DIMM Slots: | 16 |
| Maximum Memory Capacity (GB): | 1024.0 |
| Installed Processors for Typical or Single Configuration: | 1 |
| Cores Per Processor Typical or Single Configuration: | 28 |
| Number of Threads for Typical or Single Configuration: | 56 |
| Processor Brand Typical or Single Configuration: | Intel |
| Processor Model Name Typical or Single Configuration: | Intel(R) Xeon(R) Gold 6330N |
| Processor Speed for Typical or Single Configuration (GHz): | 2.2 |
| Num. of DDR Channels for Typical or Single Configuration: | 8 |
| Memory Speed Typical or Single Configuration (GHz): | 2.9 |
| Typical or Single Configuration Size Per DIMM (GB): | 32 |
| Installed Num. DIMMs for Typical or Single Configuration: | 8 |
| Installed Memory for Typical or Single Configuration (GB): | 256.0 |
| Typical or Single Configuration Redundant Power Supply: | Yes |

| SERT Active State Efficiency Score Typical or Single Configuration: | 27.80 |
|---|------------------------------|
| SERT Version : | Other |
| SERT Version Other: | 2.0.6 |
| 64-bit Architecture: | 64-bit supported |
| Date Available On Market: | 2021-04-08 |
| Date Certified: | 2024-01-10 |
| Markets: | United States, Japan, Canada |
| ENERGY STAR Certified: | Yes |

Additional Model Information

,FusionServer 5288 V6*******-1P,

Captured On: 06/17/2025