

CISCO - UCSC-C220-M7 : UCSC-C220-M7 with two CPU socket populated

| Specifications | |
|---|--|
| ENERGY STAR Unique ID: | 3361110 |
| ENERGY STAR Partner: | Cisco Systems |
| Brand Name: | CISCO |
| Model Name: | UCSC-C220-M7 |
| Model Number: | UCSC-C220-M7 with two CPU socket populated |
| Form Factor: | Rack-mount |
| Resilient System: | No |
| Number of Nodes for Multi-node: | 1 |
| Available Expansion Slots: | 9 |
| Operating Systems Supported: | Windows |
| Power Saving Features Available: | Other |
| Product Processor Socket Count: | 2 |
| Available DIMM Slots: | 32 |
| Maximum Memory Capacity (GB): | 8000.0 |
| Installed Processors for Typical or Single Configuration: | 2 |
| Cores Per Processor Typical or Single Configuration: | 32 |
| Number of Threads for Typical or Single Configuration: | 64 |
| Processor Brand Typical or Single Configuration: | Intel(R) Xeon(R) |
| Processor Model Name Typical or Single Configuration: | Intel(R) Xeon(R) Gold 6430 |
| Processor Speed for Typical or Single Configuration (GHz): | 1.9 |
| Num. of DDR Channels for Typical or Single Configuration: | 6 |
| Memory Speed Typical or Single Configuration (GHz): | 4.8 |
| Typical or Single Configuration Size Per DIMM (GB): | 16 |
| Installed Num. DIMMs for Typical or Single Configuration: | 16 |
| Installed Memory for Typical or Single Configuration (GB): | 256.0 |
| | |

| Typical or Single Configuration Redundant Power Supply: | No |
|--|------------------------------|
| SERT Active State Efficiency Score Typical or Single Configuration: | 41.70 |
| SERT Version : | 2.0.1 |
| 64-bit Architecture: | 64-bit supported |
| Tested Num. Blade Slots Typical or Single Configuration: | 0 |
| Date Available On Market: | 2023-05-23 |
| Date Certified: | 2023-05-25 |
| Markets: | United States, Japan, Canada |
| ENERGY STAR Certified: | Yes |

Captured On: 06/17/2025