



## ENERGY STAR CERTIFIED Enterprise Servers

# Super Micro Computer, Inc. - AS-1115CS-TNR : AS-1115CS-TNR

## Specifications

|   |   |
|---|---|
| <b>ENERGY STAR Unique ID:</b>                                     | 3423278   |
| <b>ENERGY STAR Partner:</b>                                       | Super Micro Computer, Inc.  |
| <b>Brand Name:</b>  | Super Micro Computer, Inc.  |
| <b>Model Name:</b>  | AS-1115CS-TNR   |
| <b>Model Number:</b>  | AS-1115CS-TNR   |
| <b>Form Factor:</b>   | Rack-mount  |
| <b>Resilient System:</b>  | No  |
| <b>Available Expansion Slots:</b>                                 | 12  |
| <b>Operating Systems Supported:</b>                               | Other   |
| <b>Power Saving Features Available:</b>                           | Variable speed fan control based on power or thermal readings,Processor or core reduced power states,Low power I/O states,Power capping,Low power memory states,Dynamic voltage and frequency scaling of processor(s) |
| <b>Product Processor Socket Count:</b>                            | 1   |
| <b>Available DIMM Slots:</b>                                      | 12  |
| <b>Maximum Memory Capacity (GB):</b>                              | 3000.0  |
| <b>Installed Processors for Typical or Single Configuration:</b>  | 1   |
| <b>Cores Per Processor Typical or Single Configuration:</b>       | 32  |
| <b>Number of Threads for Typical or Single Configuration:</b>     | 64  |
| <b>Processor Brand Typical or Single Configuration:</b>           | AMD   |
| <b>Processor Model Name Typical or Single Configuration:</b>      | EPYC 9354P  |
| <b>Processor Speed for Typical or Single Configuration (GHz):</b> | 3.25  |
| <b>Num. of DDR Channels for Typical or Single Configuration:</b>  | 12  |
| <b>Memory Speed Typical or Single Configuration (GHz):</b>        | 4.8   |
| <b>Typical or Single Configuration Size Per DIMM (GB):</b>        | 32  |
| <b>Installed Num. DIMMs for Typical or Single Configuration:</b>  | 12  |

|   |                              |
|---|------------------------------|
| Installed Memory for Typical or Single Configuration (GB):          | 384.0                        |
| Typical or Single Configuration Redundant Power Supply:             | Yes                          |
| SERT Active State Efficiency Score Typical or Single Configuration: | 64.20                        |
| SERT Version :  | Other                        |
| SERT Version Other :  | 2.0.7                        |
| 64-bit Architecture:  | 32-bit only                  |
| Date Available On Market:   | 2024-03-19                   |
| Date Certified:   | 2024-03-19                   |
| Markets:  | United States, Japan, Canada |
| ENERGY STAR Certified:  | Yes                          |

## Additional Model Information

„LB16-12; „LB16-6D; „LB16-8; „LB16CDC-R12H13; „LB16CDC-R6DH13; „LB16CDC-R8H13,

Captured On:  
06/17/2025