## OpConnect - OC-IC3-32A-H: OC-IC3-32A-H

Specifications	
Brand Name:	OpConnect
Model Name:	OC-IC3-32A-H
Model Number:	OC-IC3-32A-H
ENERGY STAR Unique ID:	2404557
ENERGY STAR Partner:	OpConnect, Inc
Product Type:	Level 2
Input Voltage (V):	240.0
Max Nameplate Output Current (A):	32
Maximum Output Power (kW):	7.68
Number of Outputs:	1
Maximum Output Cord Length (ft.):	25
Output Cord Gauge (AWG):	10
Automatic Brightness Control (ABC) Capable?:	No
Network Connection Types Available:	Wi-Fi or Gigabit Ethernet
15 A Operation Mode Test: Total Loss (watts):	22.25
30 A Operation Mode Test: Total Loss (watts):	73.92
4 A Operation Mode Test: Total Loss (watts):	6.95
Full Current Operation Mode Test: Total Loss (watts):	82.49
Idle Mode Input Power (watts):	6.03
Idle Mode Power Factor:	0.3
Idle Mode Total Allowance (watts):	16.4
No Vehicle Mode Input Power (watts):	3.48
No Vehicle Mode Power Factor:	0.25
No Vehicle Mode Total Allowance (watts):	3.6
Partial On Mode Input Power (watts):	3.53
Partial On Mode Power Factor:	0.25
Partial On Mode Total Allowance (watts):	3.6
Date Certified:	2022-11-15
Date Available on Market:	2022-11-15
Markets:	United States, Canada
<b>ENERGY STAR Certified:</b>	Yes

## Additional Model Information

,OC-SC3-32A-N,

**Captured On:** 04/28/2025