N/A - EVCA48A/RF/R/25C : EVCA48A/RF/R/25C

Brand Name: N/A Model Name: EVCA48A/RF/R/25C Model Number: EVCA48A/RF/R/25C ENERGY STAR Unique ID: 3354583 ENERGY STAR Partner: Euri Lighting Product Type: Level 2 Input Voltage (V): 240.0 Max Nameplate Output Current (A): 48 Maximum Output Power (kW): 11.52 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 8 Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): 15.15 Idle Mode Input Power (watts): 3.65 Idle Mode Power Factor: 0.27	
Model Name: EVCA48A/RF/R/25C Model Number: EVCA48A/RF/R/25C ENERGY STAR Unique ID: 3354583 ENERGY STAR Partner: Euri Lighting Product Type: Level 2 Input Voltage (V): 240.0 Max Nameplate Output Current (A): 48 Maximum Output Power (kW): 11.52 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 8 Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 15.15 Full Current Operation Mode Test: Total Loss (watts): 15.15 Idle Mode Input Power (watts): 3.65	
Model Number: EVCA48A/RF/R/25C ENERGY STAR Unique ID: 3354583 ENERGY STAR Partner: Euri Lighting Product Type: Level 2 Input Voltage (V): 240.0 Max Nameplate Output Current (A): 48 Maximum Output Power (kW): 11.52 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 8 Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 15.15 Full Current Operation Mode Test: Total Loss (watts): 15.15 Idle Mode Input Power (watts): 3.65	
ENERGY STAR Unique ID: 3354583 ENERGY STAR Partner: Euri Lighting Product Type: Level 2 Input Voltage (V): 240.0 Max Nameplate Output Current (A): 48 Maximum Output Power (kW): 11.52 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 8 Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 15.15 Full Current Operation Mode Test: Total Loss (watts): 15.15 Idle Mode Input Power (watts): 3.65	
ENERGY STAR Partner: Product Type: Input Voltage (V): Max Nameplate Output Current (A): Maximum Output Power (kW): Number of Outputs: Maximum Output Cord Length (ft.): Dutput Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 1.71 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 3.65	
Product Type: Input Voltage (V): Max Nameplate Output Current (A): Maximum Output Power (kW): Number of Outputs: Maximum Output Cord Length (ft.): Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 3.65	
Input Voltage (V): Max Nameplate Output Current (A): Maximum Output Power (kW): Number of Outputs: Maximum Output Cord Length (ft.): Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 3.65	
Max Nameplate Output Current (A): Maximum Output Power (kW): Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 3.65	
Maximum Output Power (kW): Number of Outputs: Maximum Output Cord Length (ft.): Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 3.65	
Number of Outputs: Maximum Output Cord Length (ft.): Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 3.65	
Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 8 Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): 15.15 (watts): Idle Mode Input Power (watts): 3.65	
Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): 15.15 (watts): Idle Mode Input Power (watts): 3.65	
Automatic Brightness Control (ABC) Capable?: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): 15.15 Idle Mode Input Power (watts): 3.65	
Network Connection Types Available: Wi-Fi or Gigabit Ethernet Product Features: None Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): 15.15 (watts): 15.15	
Product Features: Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 3.65	
Auxiliary Product Features: Radio Frequency Identification (RFID) 15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): 15.15 (watts): 3.65	
15 A Operation Mode Test: Total Loss (watts): 12.04 30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): 15.15 (watts): 3.65	
30 A Operation Mode Test: Total Loss (watts): 13.08 4 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): 15.15 (watts): 3.65	
4 A Operation Mode Test: Total Loss (watts): 11.71 Full Current Operation Mode Test: Total Loss (watts): 15.15 (watts): 3.65	
Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 3.65	
(watts): Idle Mode Input Power (watts): 3.65	
Idle Mode Power Factor: 0.27	
Idle Mode Total Allowance (watts): 25.7	
No Vehicle Mode Input Power (watts): 2.85	
No Vehicle Mode Power Factor: 0.27	
No Vehicle Mode Total Allowance (watts): 6.5	
Partial On Mode Input Power (watts): 3.41	
Partial On Mode Power Factor: 0.28	
Partial On Mode Total Allowance (watts): 6.5	
Date Certified: 2024-01-02	
Date Available on Market: 2024-01-02	
Markets: United States, Canada	
ENERGY STAR Certified: Yes	

Captured On: 04/28/2025