

APC by Schneider Electric - APC Smart-UPS SRT 3000VA 208/230V IEC : SRT3000XLW-IEC

Specifications	
ENERGY STAR Unique ID:	2332878
Brand Name:	APC by Schneider Electric
Model Name:	APC Smart-UPS SRT 3000VA 208/230V IEC
Model Number:	SRT3000XLW-IEC
Power Conversion Mechanism:	Static
Minimum Configuration Tested Model Number:	SRT3000RMXLW-IEC
Active Output Power Rating Minimum Configuration (W):	2700
Apparent Output Power Rating Minimum Configuration (VA):	3000
Topology (ac):	Multi-Mode Double Conversion
Topology and Product Type Combined:	ac - Other
Application:	Commercial
Rated Input Voltage (V rms):	208-240
Rated Input Frequency (Hz):	50-60
Rated Output Voltage (V):	208-240
Rated Output Frequency (Hz):	50-60
Rack Mountable:	No
Height (mm):	432
Width (mm):	85
Depth (mm):	635
Total Number of Outlets:	8
Number of Battery Backup and Surge Protected Outlets:	8
Number of Surge Protected Only Outlets:	0
Normal Mode(s) Input Dependency Characteristic (ac):	Voltage and Frequency Dependent, Voltage and Frequency Independent
Modular UPS:	No
Number of Normal Modes:	Multiple-normal-mode
Default Normal Mode (ac):	Voltage and Frequency Independent
Test Input Voltage (V rms):	230
Test Input Frequency (Hz):	50
Test Output Voltage (V):	230

Test Output Frequency (Hz): 50 Total Input Power in W at 0% Load Min Config Lowest Dependency (ac): 55.04 Total Input Power in W at 0% Load Min Config Highest Dependency (ac): 44.68	
Lowest Dependency (ac): Total Input Power in W at 0% Load Min Config Highest Dependency (ac): 44.68	
Highest Dependency (ac):	
Efficiency at 25% Load Min Config Lowest Dependency (ac): 89.6	
Efficiency at 25% Load Min Config Highest 93.6 Dependency (ac):	
Efficiency at 50% Load Min Config Lowest Dependency (ac): 92.7	
Efficiency at 50% Load Min Config Highest Dependency (ac): 96.5	
Efficiency at 75% Load Min Config Lowest Dependency (ac): 93.2	
Efficiency at 75% Load Min Config Highest 97.4 Dependency (ac):	
Efficiency at 100% Load Min Config Lowest Dependency (ac): 93.4	
Efficiency at 100% Load Min Config Highest 97.8 Dependency (ac):	
Weighted Efficiency Calc Min Config Lowest Dependency: 93.1	
Weighted Efficiency Calc Min Config Highest 97.3 Dependency:	
Minimum Configuration Input Power Factor Highest-Input Dependency: 1.0	
Efficiency (%): 93.1	
Modular UPS Module Tested Model Number: N/A	
Energy Storage Mechanism: Battery	
Energy Storage System Technology: Valve Regulated Lead-acid Battery	
Energy Storage System Configuration: Integral	
Energy Storage System Removable to Another No Room:	
Energy Storage System Runtime at 100% Load 4 (min.):	
Energy Storage System Runtime at 50% Load 12 (min.):	
Energy Storage System Warranty (yrs): 2	
Energy Storage System Information URL: http://www.apc.com/shop/us/en/p	products/P-APCRBC152
Battery Recycling URL: http://www.apc.com/company/us/	/en/sustainability/recycling-options/
Network Connections Available: Serial Port,USB Port	
Communication Protocols: Other, Modbus RTU	
Communication Protocol Other: USB Power Summary, Micro-Link, S	Simple Signaling
Manufacturer Take Back Program: Yes	
Manufacturer Take Back Program URL: http://www.apc.com/company/us/	/en/sustainability/recycling-options/
Model Web Page URL: http://www.apc.com/shop/us/en/p	products/P-SRT3000XLW-IEC

Test Method Guidelines:	http://www.apc.com/company/us/en/sustainability/energy-efficiency/
Date Available on Market:	2015-10-26
Date Certified:	2018-12-28
Markets:	United States, Canada
ENERGY STAR Certified:	Yes

Additional Model Information

APC Smart-UPS SRT 3000VA 208/230V IEC Factory Serviced, SRT3000XLWIECW,; Std Exch APC Smart-UPS SRT 3000VA 208/230V IEC, SRT3000XLWIECQ,

UPC Codes 731304320081

Captured On: 06/19/2025