

APC by Schneider Electric - APC Smart-UPS SRT 6000VA 208V TAA : SRT6KXLTUS

Specifications	
ENERGY STAR Unique ID:	2332950
Brand Name:	APC by Schneider Electric
Model Name:	APC Smart-UPS SRT 6000VA 208V TAA
Model Number:	SRT6KXLTUS
Power Conversion Mechanism:	Static
Minimum Configuration Tested Model Number:	SRT6KXLT
Active Output Power Rating Minimum Configuration (W):	6000
Apparent Output Power Rating Minimum Configuration (VA):	6000
Topology (ac):	Multi-Mode Double Conversion
Topology and Product Type Combined:	ac - Other
Application:	Commercial
Rated Input Voltage (V rms):	208-240
Rated Input Frequency (Hz):	50-60
Rated Output Voltage (V):	208-240
Rated Output Frequency (Hz):	50-60
Rack Mountable:	No
Height (mm):	432
Width (mm):	174
Depth (mm):	719
Total Number of Outlets:	10
Number of Battery Backup and Surge Protected Outlets:	10
Number of Surge Protected Only Outlets:	0
Normal Mode(s) Input Dependency Characteristic (ac):	Voltage and Frequency Dependent, Voltage and Frequency Independent
Modular UPS:	No
Number of Normal Modes:	Multiple-normal-mode
Default Normal Mode (ac):	Voltage and Frequency Independent
Test Input Voltage (V rms):	240
Test Input Frequency (Hz):	60
Test Output Voltage (V):	240

Total Input Power in W at 0% Load Min Config Cowest Dependency (ac): Total Input Power in W at 0% Load Min Config S3.8 Highest Dependency (ac): Efficiency at 25% Load Min Config Lowest Dependency (ac): Efficiency at 25% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Weighted Efficiency Calc Min Config Highest Dependency: Weighted Efficiency Calc Min Config Lowest Dependency: Weighted Efficiency Calc Min Config		
Lowest Dependency (ac): Total Input Power in W at 0% Load Min Config Highest Dependency (ac): Efficiency at 25% Load Min Config Lowest Dependency (ac): Efficiency at 25% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Lowest Dependency (ac): Efficiency at 100% Load Min Config Lowest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency: Weighted Efficiency Calc Min Config Lowest Dependency: Weighted Efficiency Weig	Test Output Frequency (Hz):	60
Highest Dependency (ac): Efficiency at 25% Load Min Config Lowest Dependency (ac): Efficiency at 25% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 100% Load Min Config Lowest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency: Weighted Efficiency Calc Min Config Lowest Dependen	Total Input Power in W at 0% Load Min Config Lowest Dependency (ac):	69.2
Dependency (ac): Efficiency at 25% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Lowest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 70% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Weighted Efficiency Calc Min Config Highest Dependency (ac): Weighted Efficiency Calc Min Config Highest Dependency: Weighted Efficiency Calc Min Config Load Min Config	Total Input Power in W at 0% Load Min Config Highest Dependency (ac):	53.8
Dependency (ac): Efficiency at 50% Load Min Config Lowest Dependency (ac): Efficiency at 50% Load Min Config Highest Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Lowest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Weighted Efficiency Calc Min Config Highest Dependency: Weighted Efficiency Calc Min Config Lowest Dependency: Weighted Efficiency Calc Min Config Highest Dependency: Weighted Efficiency Calc Min Config Lowest Dependency: Weighted Efficiency Calc Min Config Lowest Dependency: Weighted Efficiency Calc Min Config Lowest Dependency: ### Weighted Efficiency Calc Min Config	Efficiency at 25% Load Min Config Lowest Dependency (ac):	93.0
Dependency (ac): Efficiency at 5% Load Min Config Highest Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 10% Load Min Config Highest Dependency (ac): Efficiency at 10% Load Min Config Highest Dependency (ac): Efficiency at 10% Load Min Config Highest Dependency (ac): Weighted Efficiency Calc Min Config Highest Dependency (ac): Weighted Efficiency Calc Min Config Highest Dependency: ### Wei	Efficiency at 25% Load Min Config Highest Dependency (ac):	96.4
Dependency (ac): Efficiency at 75% Load Min Config Lowest Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Lowest Dependency (ac): Efficiency at 100% Load Min Config Lowest Dependency (ac): Efficiency at 100% Load Min Config Lowest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Weighted Efficiency Calc Min Config Highest Dependency: Weighted Efficiency Calc Min Config Lowest Dependency: ### Weighted Efficiency Calc Min Config Lowest Dependency: ### Weighted Efficiency Calc Min Config Lowest Dependency: ### Weighted Efficiency Calc Min Config Highest Dependency: ### Weighted Efficiency Calc Min Config Highest Dependency: ### Weighted Efficiency Calc Min Config Lowest Dependency: ### Weighted Efficiency Ca	Efficiency at 50% Load Min Config Lowest Dependency (ac):	94.6
Dependency (ac): Efficiency at 75% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Lowest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Weighted Efficiency Calc Min Config Lowest Dependency: Weighted Efficiency Calc Min Config Highest Dependency: Minimum Configuration Input Power Factor Highest-Input Dependency: ### Storage System Configuration Input Power Factor Place Filter	Efficiency at 50% Load Min Config Highest Dependency (ac):	98.0
Dependency (ac): Efficiency at 100% Load Min Config Lowest Dependency (ac): Weighted Efficiency Calc Min Config Highest Dependency: Minimum Configuration Input Power Factor Highest-Input Dependency: Minimum Configuration Input Power Factor Highest-Input Dependency: Modular UPS Module Tested Model Number: Energy Storage Mechanism: Battery Valve Regulated Lead-acid Battery Integral Energy Storage System Technology: Integral Energy Storage System Removable to Another Room: Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Warranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols Modbus TCPHTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: Was Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program URL: Mttp://www.apc.com/company/us/en/sustainability/recycling-options/	Efficiency at 75% Load Min Config Lowest Dependency (ac):	94.6
Dependency (ac): Efficiency at 100% Load Min Config Highest Dependency (ac): Weighted Efficiency Calc Min Config Lowest Dependency: Weighted Efficiency Calc Min Config Highest Dependency: Weighted Efficiency Calc Min Config Highest Dependency: Weighted Efficiency Calc Min Config Highest Dependency: Minimum Configuration Input Power Factor Highest-Input Dependency: Efficiency (%): Modular UPS Module Tested Model Number: Energy Storage Mechanism: Battery Energy Storage System Technology: Valve Regulated Lead-acid Battery Energy Storage System Configuration: Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Marranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocol: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: Wes http://www.apc.com/company/us/en/sustainability/recycling-options/ Manufacturer Take Back Program: Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ http://www.apc.com/company/us/en/sustainability/recycling-options/ http://www.apc.com/company/us/en/sustainability/recycling-options/ Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Efficiency at 75% Load Min Config Highest Dependency (ac):	98.5
Dependency (ac): Weighted Efficiency Calc Min Config Lowest Dependency: Minimum Configuration Input Power Factor Highest-Input Dependency: Minimum Configuration Input Power Factor Highest-Input Dependency: Efficiency (%): Modular UPS Module Tested Model Number: Energy Storage Mechanism: Battery Energy Storage System Technology: Valve Regulated Lead-acid Battery Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Number at 50% Load (min.): Energy Storage System Information URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols: Modbus TCP;HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: Weighted Efficiency 294.6 98.4 Pag. 4 Pag. 4 Pag. 5 Pag. 5 Pag. 5 Pag. 5 Pag. 5 Pag. 6 Pa	Efficiency at 100% Load Min Config Lowest Dependency (ac):	94.5
Dependency: Weighted Efficiency Calc Min Config Highest Dependency: Minimum Configuration Input Power Factor Highest-Input Dependency: Efficiency (%): Modular UPS Module Tested Model Number: Battery Energy Storage Mechanism: Energy Storage Mechanism: Energy Storage System Technology: Valve Regulated Lead-acid Battery Energy Storage System Configuration: Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Morranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols: Modbus TCP.HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Efficiency at 100% Load Min Config Highest Dependency (ac):	98.7
Dependency: Minimum Configuration Input Power Factor Highest-Input Dependency: Efficiency (%): Modular UPS Module Tested Model Number: Battery Energy Storage Mechanism: Energy Storage System Technology: Energy Storage System Configuration: Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Information URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: Was Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Manufacturer Take Back Program: http://www.apc.com/company/us/en/sustainability/recycling-options/ Method System Signaling Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Manufacturer Take Back Program URL: Model States	Weighted Efficiency Calc Min Config Lowest Dependency:	94.6
Highest-Input Dependency: Efficiency (%): 94.6 Modular UPS Module Tested Model Number: Energy Storage Mechanism: Energy Storage System Technology: Energy Storage System Technology: Energy Storage System Configuration: Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: Network Connections Available: Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: Was Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Ves Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ http://www.apc.com/company/us/en/sustainability/recycling-options/ Network.com/company/us/en/sustainability/recycling-options/ Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Weighted Efficiency Calc Min Config Highest Dependency:	98.4
Modular UPS Module Tested Model Number: Energy Storage Mechanism: Energy Storage System Technology: Energy Storage System Configuration: Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Minimum Configuration Input Power Factor Highest-Input Dependency:	1.0
Energy Storage Mechanism: Energy Storage System Technology: Valve Regulated Lead-acid Battery Energy Storage System Configuration: Integral Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Warranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Efficiency (%):	94.6
Energy Storage System Technology: Integral Integral Energy Storage System Removable to Another Room: Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Serial Port,USB Port,Ethernet Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Modular UPS Module Tested Model Number:	N/A
Energy Storage System Removable to Another Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Warranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Energy Storage Mechanism:	Battery
Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Energy Storage System Technology:	Valve Regulated Lead-acid Battery
Room: Energy Storage System Runtime at 100% Load (min.): Energy Storage System Runtime at 50% Load (min.): Energy Storage System Warranty (yrs): Energy Storage System Warranty (yrs): Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Energy Storage System Configuration:	Integral
(min.): Energy Storage System Runtime at 50% Load (min.): 8 Energy Storage System Warranty (yrs): 2 Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Serial Port,USB Port,Ethernet Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Energy Storage System Removable to Another Room:	No
(min.): Energy Storage System Warranty (yrs): 2 Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Serial Port,USB Port,Ethernet Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/		2
Energy Storage System Information URL: http://www.apc.com/shop/us/en/products/P-APCRBC140 http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/		8
Battery Recycling URL: http://www.apc.com/company/us/en/sustainability/recycling-options/ Network Connections Available: Serial Port,USB Port,Ethernet Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Energy Storage System Warranty (yrs):	2
Network Connections Available: Serial Port,USB Port,Ethernet Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU Communication Protocol Other: USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Energy Storage System Information URL:	http://www.apc.com/shop/us/en/products/P-APCRBC140
Communication Protocols: Modbus TCP,HTTPS,Other,HTTP,Modbus RTU USB Power Summary, Micro-Link, Simple Signaling Manufacturer Take Back Program: Yes Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Battery Recycling URL:	http://www.apc.com/company/us/en/sustainability/recycling-options/
Communication Protocol Other: Wanufacturer Take Back Program: Manufacturer Take Back Program URL: USB Power Summary, Micro-Link, Simple Signaling Yes http://www.apc.com/company/us/en/sustainability/recycling-options/	Network Connections Available:	Serial Port,USB Port,Ethernet
Manufacturer Take Back Program: Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Communication Protocols:	Modbus TCP,HTTPS,Other,HTTP,Modbus RTU
Manufacturer Take Back Program URL: http://www.apc.com/company/us/en/sustainability/recycling-options/	Communication Protocol Other:	USB Power Summary, Micro-Link, Simple Signaling
	Manufacturer Take Back Program:	Yes
Model Web Page URL: http://www.apc.com/shop/us/en/products/P-SRT6KXLT	Manufacturer Take Back Program URL:	http://www.apc.com/company/us/en/sustainability/recycling-options/
	Model Web Page URL:	http://www.apc.com/shop/us/en/products/P-SRT6KXLT

Test Method Guidelines:	http://www.apc.com/company/us/en/sustainability/energy-efficiency/
Date Available on Market:	2018-05-22
Date Certified:	2018-12-28
Markets:	United States, Canada
ENERGY STAR Certified:	Yes

Additional Model Information

APC Smart-UPS SRT 6000VA 208V TAA Factory Serviced, SRT6KXLTUSW,; Std Exch APC Smart-UPS SRT 6000VA 208V TAA, SRT6KXLTUSQ,

UPC Codes 731304340508

Captured On: 06/18/2025