

Fuji Electric - UPS7400WX-T3U: UPS7400WX-T3U/1000

Specifications	
ENERGY STAR Unique ID:	2339232
Brand Name:	Fuji Electric
Model Name:	UPS7400WX-T3U
Model Number:	UPS7400WX-T3U/1000
Power Conversion Mechanism:	Static
Minimum Configuration Tested Model Number:	UPS7400WX-T3U
Active Output Power Rating Minimum Configuration (W):	1000000
Apparent Output Power Rating Minimum Configuration (VA):	1000000
Active Output Power Rating Maximum Configuration (W):	1000000
Topology (ac):	Double Conversion
Topology and Product Type Combined:	ac - Double Conversion (VFI)
Application:	Data Center,Commercial
Rated Input Voltage (V rms):	336-528
Rated Input Frequency (Hz):	57-63
Rated Output Voltage (V):	480-480
Rated Output Frequency (Hz):	60-60
Rack Mountable:	No
Height (mm):	2020
Width (mm):	3350
Depth (mm):	830
Normal Mode(s) Input Dependency Characteristic (ac):	Voltage and Frequency Independent
Modular UPS:	Yes
Number of Normal Modes:	Single-normal-mode
Default Normal Mode (ac):	Voltage and Frequency Independent
Test Input Voltage (V rms):	480
Test Input Frequency (Hz):	60
Test Output Voltage (V):	480
Test Output Frequency (Hz):	60
Total Input Power in W at 0% Load Min Config Lowest Dependency (ac):	7200.0

Total Input Power in W at 0% Load Min Config Highest Dependency (ac):	8600.0
Efficiency at 25% Load Min Config Lowest Dependency (ac):	96.3
Efficiency at 25% Load Min Config Highest Dependency (ac):	96.3
Efficiency at 50% Load Min Config Lowest Dependency (ac):	97.2
Efficiency at 50% Load Min Config Highest Dependency (ac):	98.4
Efficiency at 75% Load Min Config Lowest Dependency (ac):	97.2
Efficiency at 75% Load Min Config Highest Dependency (ac):	98.7
Efficiency at 100% Load Min Config Lowest Dependency (ac):	97.0
Efficiency at 100% Load Min Config Highest Dependency (ac):	98.7
Weighted Efficiency Calc Min Config Lowest Dependency:	97.0
Weighted Efficiency Calc Min Config Highest Dependency:	98.0
Minimum Configuration Input Power Factor Highest-Input Dependency:	1.0
Efficiency (%):	97
Modular UPS Module Tested Model Number:	N/A
Energy Storage Mechanism:	Battery
Energy Storage System Technology:	Valve Regulated Lead-acid Battery
Energy Storage System Configuration:	Separate Enclosure
Energy Storage System Removable to Another Room:	N/A
Energy Storage System Runtime at 100% Load (min.):	N/A
Energy Storage System Runtime at 50% Load (min.):	N/A
Energy Storage System Warranty (yrs):	3
Energy Storage System Information URL:	N/A
Network Connections Available:	Serial Port
Communication Protocols:	SNMP (v1, 2 or 3),Modbus RTU
Manufacturer Take Back Program:	No
Model Web Page URL:	in preparation
Test Method Guidelines:	N/A
Date Available on Market:	2019-04-01
Date Certified:	2019-05-23
Markets:	United States
ENERGY STAR Certified:	Yes