

APC by Schneider Electric - APC Back-UPS Pro 1500VA for Gaming 120V Pure Sinewave LCD 3 USB charging ports 10 NEMA outlets (4 surge): BGM1500

rand Name: APC	57019 C by Schneider Electric
rand Name: APC	C by Schneider Electric
	•
odel Name: APO	0 D. J. LIDO D.: 1500// (0 ; 100// D 0;
	C Back-UPS Pro 1500VA for Gaming 120V Pure Sinewave LCD 3 USB arging ports 10 NEMA outlets (4 surge)
odel Number: BGN	M1500
ower Conversion Mechanism: Star	tic
inimum Configuration Tested Model BGN umber:	M1500
ctive Output Power Rating Minimum 900 onfiguration (W):	
pparent Output Power Rating Minimum 150 onfiguration (VA):	00
ppology (ac):	ssive Standby
ppology and Product Type Combined: Alte	ernating Current (ac) - Offline (VFD)
oplication: Con	nsumer
ated Input Voltage (V rms):	0-120
ated Input Frequency (Hz):	60
ated Output Voltage (V):	0-120
ated Output Frequency (Hz):	60
ack Mountable: No	
eight (mm): 291	1
idth (mm): 105	5
epth (mm): 408	3
otal Number of Outlets: 10	
umber of Battery Backup and Surge 6 otected Outlets:	
umber of Surge Protected Only Outlets: 4	
ormal Mode(s) Input Dependency naracteristic (ac):	tage Independent
odular UPS: No	
umber of Normal Modes: Sing	gle-normal-mode
efault Normal Mode (ac):	tage Independent
est Input Voltage (V rms):	

Test Input Frequency (Hz):	60
Test Output Voltage (V):	120
Test Output Frequency (Hz):	60
Total Input Power in W at 0% Load Min Config Lowest Dependency (ac):	5.04
Efficiency at 25% Load Min Config Lowest Dependency (ac):	97.7
Efficiency at 50% Load Min Config Lowest Dependency (ac):	98.6
Efficiency at 75% Load Min Config Lowest Dependency (ac):	98.8
Efficiency at 100% Load Min Config Lowest Dependency (ac):	98.8
Weighted Efficiency Calc Min Config Lowest Dependency:	98.7
Efficiency (%):	98.7
Modular UPS Module Tested Model Number:	N/A
Energy Storage Mechanism:	Battery
Energy Storage System Technology:	Valve Regulated Lead-acid Battery
Energy Storage System Configuration:	Integral
Energy Storage System Removable to Another Room:	No
Energy Storage System Runtime at 100% Load (min.):	4
Energy Storage System Runtime at 50% Load (min.):	12
Energy Storage System Warranty (yrs):	3
Energy Storage System Information URL:	https://www.se.com/us/en/product/APCRBC163
Battery Recycling URL:	https://www.apc.com/us/en/who-we-are/sustainability/recycling-options.jsp
Network Connections Available:	USB Port
Communication Protocols:	Other
Communication Protocol Other:	USB Power Summary
Manufacturer Take Back Program:	Yes
Manufacturer Take Back Program URL:	https://www.apc.com/us/en/who-we-are/sustainability/recycling-options.jsp
Model Web Page URL:	https://www.se.com/us/en/product/BGM1500
Test Method Guidelines:	N/A
Date Available on Market:	2020-10-19
Date Certified:	2020-10-07
Markets:	United States
ENERGY STAR Certified:	Yes

Additional Model Information

APC Back-UPS Pro 1500VA for Gaming 120V Pure Sinewave LCD 3 USB charging ports 10 NEMA outlets (4 surge) Factory Serviced, BGM1500W,; Std Exch APC Back-UPS Pro 1500VA for Gaming 120V Pure Sinewave LCD 3 USB charging ports 10 NEMA outlets (4 surge), BGM1500Q,

UPC Codes 731304404224

Captured On: 06/17/2025