



ENERGY STAR CERTIFIED

Uninterruptible Power Supplies

Tripp Lite - AG-0358 : SU5KRT3UHV

Specifications

ENERGY STAR Unique ID:	2367719
Brand Name:	Tripp Lite
Model Name:	AG-0358
Model Number:	SU5KRT3UHV
Power Conversion Mechanism:	Static
Minimum Configuration Tested Model Number:	AG-0358
Active Output Power Rating Minimum Configuration (W):	5000
Apparent Output Power Rating Minimum Configuration (VA):	5000
Topology (ac):	Multi-Mode Double Conversion
Topology and Product Type Combined:	ac - Other
Application:	Consumer,Commercial
Rated Input Voltage (V rms):	200-240
Rated Input Frequency (Hz):	50-60
Rated Output Voltage (V):	200-240
Rated Output Frequency (Hz):	50-60
Rack Mountable:	Yes
Rack Mount Height (U):	3
Height (mm):	130
Width (mm):	445
Depth (mm):	774
Total Number of Outlets:	4
Number of Battery Backup and Surge Protected Outlets:	4
Number of Surge Protected Only Outlets:	0
Normal Mode(s) Input Dependency Characteristic (ac):	Voltage and Frequency Independent,Voltage and Frequency Dependent
Modular UPS:	No
Number of Normal Modes:	Multiple-normal-mode
Default Normal Mode (ac):	Voltage and Frequency Dependent
Test Input Voltage (V rms):	240
Test Input Frequency (Hz):	60
Test Output Voltage (V):	240

Test Output Frequency (Hz):	60
Total Input Power in W at 0% Load Min Config Lowest Dependency (ac):	48.75
Total Input Power in W at 0% Load Min Config Highest Dependency (ac):	55.79
Efficiency at 25% Load Min Config Lowest Dependency (ac):	94.3
Efficiency at 25% Load Min Config Highest Dependency (ac):	96.3
Efficiency at 50% Load Min Config Lowest Dependency (ac):	95.6
Efficiency at 50% Load Min Config Highest Dependency (ac):	98.0
Efficiency at 75% Load Min Config Lowest Dependency (ac):	95.7
Efficiency at 75% Load Min Config Highest Dependency (ac):	98.4
Efficiency at 100% Load Min Config Lowest Dependency (ac):	96.1
Efficiency at 100% Load Min Config Highest Dependency (ac):	98.9
Weighted Efficiency Calc Min Config Lowest Dependency:	95.8
Weighted Efficiency Calc Min Config Highest Dependency:	98.4
Minimum Configuration Input Power Factor Highest-Input Dependency:	0.98
Efficiency (%):	96.5
Modular UPS Module Tested Model Number:	N/A
Energy Storage Mechanism:	Battery
Energy Storage System Technology:	Valve Regulated Lead-acid Battery
Energy Storage System Configuration:	Integral
Energy Storage System Removable to Another Room:	No
Energy Storage System Runtime at 100% Load (min.):	5
Energy Storage System Runtime at 50% Load (min.):	14
Energy Storage System Warranty (yrs):	3
Energy Storage System Information URL:	N/A
Battery Recycling URL:	http://www.tripplite.com/en/support/recycling-program.cfm
Network Connections Available:	Serial Port,Other,USB Port,Ethernet
Communication Protocols:	None
Manufacturer Take Back Program:	Yes
Manufacturer Take Back Program URL:	http://www.tripplite.com/en/support/recycling-program.cfm
Model Web Page URL:	http://www.tripplite.com
Test Method Guidelines:	N/A

Date Available on Market:	2020-08-31
Date Certified:	2020-10-20
Markets:	United States, Canada
ENERGY STAR Certified:	Yes

Additional Model Information

,SU5KRT3UG, SU5KRT3UHW, SU5KRT3UX, SU5KRT3PM,

Captured On:
05/01/2025