

Eaton Brand UPS - 9PX3000RT-L : 9PX3000RT-L

Specifications	
•	
ENERGY STAR Unique ID:	2383397
Brand Name:	Eaton Brand UPS
Model Name:	9PX3000RT-L
Model Number:	9PX3000RT-L
Power Conversion Mechanism:	Static
Minimum Configuration Tested Model Number:	9PX3000RT-L
Active Output Power Rating Minimum Configuration (W):	2700
Apparent Output Power Rating Minimum Configuration (VA):	3000
Topology (ac):	Double Conversion
Topology and Product Type Combined:	ac - Double Conversion (VFI)
Application:	Data Center,Consumer,Commercial
Rated Input Voltage (V rms):	570-125
Rated Input Frequency (Hz):	50-60
Rated Output Voltage (V):	100-125
Rated Output Frequency (Hz):	50-60
Rack Mountable:	Yes
Rack Mount Height (U):	2
Height (mm):	86
Width (mm):	440
Depth (mm):	570
Normal Mode(s) Input Dependency Characteristic (ac):	Voltage and Frequency Independent
Modular UPS:	No
Number of Normal Modes:	Single-normal-mode
Default Normal Mode (ac):	Voltage and Frequency Independent
Test Input Voltage (V rms):	120
Test Input Frequency (Hz):	60
Test Output Voltage (V):	120
Test Output Frequency (Hz):	60
Efficiency at 50% Load Min Config Lowest Dependency (ac):	92.2

ENERGY STAR Certified:	Yes
Markets:	United States, Taiwan, Canada
Date Certified:	2021-08-11
Date Available on Market:	2021-07-09
Test Method Guidelines:	N/A
Model Web Page URL:	www.eaton.com
Manufacturer Take Back Program URL:	www.eaton.com/recycling
Manufacturer Take Back Program:	No
Communication Protocol Other:	Eaton Shut
Communication Protocols:	Other
Network Connections Available:	Other
Battery Recycling URL:	www.eaton.com/recycling
Energy Storage System Information URL:	https://www.eaton.com/us/en-us.html
Energy Storage System Warranty (yrs):	2
Energy Storage System Runtime at 50% Load (min.):	9
Energy Storage System Runtime at 100% Load (min.):	4
Energy Storage System Removable to Another Room:	Yes
Energy Storage System Configuration:	Integral
Energy Storage System Technology:	Lithium-ion Battery
Energy Storage Mechanism:	Battery
Modular UPS Module Tested Model Number:	N/A
Efficiency (%):	92
Weighted Efficiency Calc Min Config Lowest Dependency:	92.0
Efficiency at 100% Load Min Config Lowest Dependency (ac):	91.6
Efficiency at 75% Load Min Config Lowest Dependency (ac):	92.2

Additional Model Information

9PX3000RT-L-WOB,9PX3000RT-L-WOB,

Captured On: 05/02/2025