

## Tripp Lite - AG-06B6 : SMART1500LCDTXL

Specifications	
ENERGY STAR Unique ID:	2395397
Brand Name:	Tripp Lite
Model Name:	AG-06B6
Model Number:	SMART1500LCDTXL
Power Conversion Mechanism:	Static
Minimum Configuration Tested Model Number:	AG-06B6
Active Output Power Rating Minimum Configuration (W):	1200
Apparent Output Power Rating Minimum Configuration (VA):	1440
Topology (ac):	Line Interactive
Topology and Product Type Combined:	ac Line Interactive (VI)
Application:	Consumer,Commercial
Rated Input Voltage (V rms):	381-120
Rated Input Frequency (Hz):	50-60
Rated Output Voltage (V):	120-120
Rated Output Frequency (Hz):	50-60
Rack Mountable:	No
Height (mm):	191
Width (mm):	140
Depth (mm):	381
Total Number of Outlets:	8
Number of Battery Backup and Surge Protected Outlets:	6
Number of Surge Protected Only Outlets:	2
Normal Mode(s) Input Dependency Characteristic (ac):	Voltage Independent
Modular UPS:	No
Number of Normal Modes:	Single-normal-mode
Default Normal Mode (ac):	Voltage Independent
Test Input Voltage (V rms):	120
Test Input Frequency (Hz):	60
Test Output Voltage (V):	120
Test Output Frequency (Hz):	60

Total Input Power in W at 0% Load Min Config3.Lowest Dependency (ac):	.1
Efficiency at 25% Load Min Config Lowest98Dependency (ac):98	8.8
Efficiency at 50% Load Min Config Lowest 99 Dependency (ac):	9.0
Efficiency at 75% Load Min Config Lowest98Dependency (ac):98	8.5
Efficiency at 100% Load Min Config Lowest98Dependency (ac):98	8.4
Weighted Efficiency Calc Min Config Lowest 98 Dependency:	8.6
Efficiency (%): 98	8.6
Modular UPS Module Tested Model Number: N	I/A
Energy Storage Mechanism: Ba	lattery
Energy Storage System Technology: Va	alve Regulated Lead-acid Battery
Energy Storage System Configuration: In	ntegral
Energy Storage System Removable to Another No Room:	lo
Energy Storage System Runtime at 100% Load 2 (min.):	
Energy Storage System Runtime at 50% Load 6 (min.):	
Energy Storage System Warranty (yrs):3	
Energy Storage System Information URL: N,	I/A
Battery Recycling URL: ht	ttp://www.tripplite.com/en/support/recycling-program.cfm
Network Connections Available: Se	erial Port,USB Port,Ethernet
Communication Protocols: No	lone
Manufacturer Take Back Program: Ye	/es
Manufacturer Take Back Program URL: ht	ttp://www.tripplite.com/en/support/recycling-program.cfm
ur	ttps://www.tripplite.com/1440va-1200w-line-interactive- ps-8-nema-5-15r-outlets-avr-usb-serial-lcd-extended-run- ower~smart1500lcdtxl
Test Method Guidelines: N	I/A
Date Available on Market: 20	021-12-31
Date Certified: 20	022-05-03
Markets: Ur	Inited States, Canada

Captured On: 05/01/2025