

Vertiv - Liebert ITA2 15KVA : ITA2-15KRT208C

pecifications	
IERGY STAR Unique ID:	3477762
and Name:	Vertiv
odel Name:	Liebert ITA2 15KVA
odel Number:	ITA2-15KRT208C
ower Conversion Mechanism:	Static
inimum Configuration Tested Model Imber:	1
ctive Output Power Rating Minimum onfiguration (W):	15000
oparent Output Power Rating Minimum onfiguration (VA):	15000
aximum Configuration Tested Model Imber:	2
pology (ac):	Multi-Mode Double Conversion
pology and Product Type Combined:	ac - Other
oplication:	Data Center,Consumer,Commercial
ted Input Voltage (V rms):	208-220
ted Input Frequency (Hz):	50-60
ted Output Voltage (V):	208-220
ted Output Frequency (Hz):	50-60
ck Mountable:	No
eight (mm):	130
idth (mm):	430
epth (mm):	590
ormal Mode(s) Input Dependency naracteristic (ac):	Voltage and Frequency Independent, Voltage and Frequency Dependent
odular UPS:	Yes
Imber of Normal Modes:	Multiple-normal-mode
efault Normal Mode (ac):	Voltage and Frequency Dependent
est Input Voltage (V rms):	208
st Input Frequency (Hz):	60
est Output Voltage (V):	208
st Output Frequency (Hz):	60
tal Input Power in W at 0% Load Min Config west Dependency (ac):	151.32

Total Input Power in W at 0% Load Min Config Highest Dependency (ac):	189.96
Efficiency at 25% Load Min Config Lowest Dependency (ac):	92.9
Efficiency at 25% Load Min Config Highest Dependency (ac):	95.3
Efficiency at 50% Load Min Config Lowest Dependency (ac):	94.0
Efficiency at 50% Load Min Config Highest Dependency (ac):	97.4
Efficiency at 75% Load Min Config Lowest Dependency (ac):	93.9
Efficiency at 75% Load Min Config Highest Dependency (ac):	98.0
Efficiency at 100% Load Min Config Lowest Dependency (ac):	93.4
Efficiency at 100% Load Min Config Highest Dependency (ac):	98.3
Weighted Efficiency Calc Min Config Lowest Dependency:	93.7
Weighted Efficiency Calc Min Config Highest Dependency:	97.0
Minimum Configuration Input Power Factor Highest-Input Dependency:	0.99
Efficiency (%):	94.5
Modular UPS Module Tested Model Number:	N/A
Energy Storage Mechanism:	Battery
Energy Storage System Technology:	Valve Regulated Lead-acid Battery
Energy Storage System Configuration:	Integral
Energy Storage System Removable to Another Room:	Νο
Energy Storage System Runtime at 100% Load (min.):	8
Energy Storage System Runtime at 50% Load (min.):	23
Energy Storage System Warranty (yrs):	1
Energy Storage System Information URL:	http://www.enersys.com, http://www.eastpennunigy.com/
Network Connections Available:	USB Port
Communication Protocols:	Other
Manufacturer Take Back Program:	No
Model Web Page URL:	https://www.vertivco.com/en-us/products-catalog/critical-power/ uninterruptible-power-supplies-ups/
Test Method Guidelines:	N/A
Date Available on Market:	2024-04-30
Date Certified:	2024-05-07
Markets:	United States, Canada
ENERGY STAR Certified:	Yes

Captured On: 06/18/2025