

## CyberPower - OL2K2RM : OL2K2RM

Specifications	
ENERGY STAR Unique ID:	3892590
Brand Name:	CyberPower
Model Name:	OL2K2RM
Model Number:	OL2K2RM
Power Conversion Mechanism:	Static
Minimum Configuration Tested Model Number:	OL2K2RM
Active Output Power Rating Minimum Configuration (W):	1600
Apparent Output Power Rating Minimum Configuration (VA):	2200
Maximum Configuration Tested Model Number:	OL2K2RTHD
Active Output Power Rating Maximum Configuration (W):	1800
Topology (ac):	Double Conversion
Topology and Product Type Combined:	ac - Double Conversion (VFI)
Application:	Data Center,Consumer,Commercial
Rated Input Voltage (V rms):	100-125
Rated Input Frequency (Hz):	50-60
Rated Output Voltage (V):	100-125
Rated Output Frequency (Hz):	50-60
Rack Mountable:	Yes
Rack Mount Height (U):	2
Height (mm):	87
Width (mm):	433
Depth (mm):	380
Total Number of Outlets:	7
Number of Battery Backup and Surge Protected Outlets:	7
Number of Surge Protected Only Outlets:	0
Normal Mode(s) Input Dependency Characteristic (ac):	Voltage and Frequency Independent, Voltage and Frequency Dependent
Modular UPS:	No
Number of Normal Modes:	Multiple-normal-mode
Default Normal Mode (ac):	Voltage and Frequency Independent

Test Input Voltage (V rms):	120
Test Input Frequency (Hz):	60
Test Output Voltage (V):	120
Test Output Frequency (Hz):	60
Total Input Power in W at 0% Load Min Config Lowest Dependency (ac):	17.11
Total Input Power in W at 0% Load Min Config Highest Dependency (ac):	16.55
Efficiency at 25% Load Min Config Lowest Dependency (ac):	92.4
Efficiency at 25% Load Min Config Highest Dependency (ac):	95.7
Efficiency at 50% Load Min Config Lowest Dependency (ac):	93.7
Efficiency at 50% Load Min Config Highest Dependency (ac):	97.4
Efficiency at 75% Load Min Config Lowest Dependency (ac):	93.7
Efficiency at 75% Load Min Config Highest Dependency (ac):	97.8
Efficiency at 100% Load Min Config Lowest Dependency (ac):	92.7
Efficiency at 100% Load Min Config Highest Dependency (ac):	97.2
Weighted Efficiency Calc Min Config Lowest Dependency:	93.4
Weighted Efficiency Calc Min Config Highest Dependency:	97.5
Minimum Configuration Input Power Factor Highest-Input Dependency:	0.99
Total Input Power in W at 0% Load Max Config Lowest Dependency (ac):	17.06
Total Input Power in W at 0% Load Max Config Highest Dependency (ac):	16.54
Efficiency at 25% Load Max Config Lowest Dependency (ac):	92.8
Efficiency at 25% Load Max Config Highest Dependency (ac):	96.1
Efficiency at 50% Load Max Config Lowest Dependency (ac):	93.8
Efficiency at 50% Load Max Config Highest Dependency (ac):	97.5
Efficiency at 75% Load Max Config Lowest Dependency (ac):	93.6
Efficiency at 75% Load Max Config Highest Dependency (ac):	97.8
Efficiency at 100% Load Max Config Lowest Dependency (ac):	92.5
Efficiency at 100% Load Max Config Highest Dependency (ac):	97.2

Weighted Efficiency Calc Max Config Lowest Dependency:	93.3
Weighted Efficiency Calc Max Config Highest Dependency:	97.5
Maximum Configuration Input Power Factor Lowest-Input Dependency:	0.99
Maximum Configuration Input Power Factor Highest-Input Dependency:	0.99
Efficiency (%):	93.4
Modular UPS Module Tested Model Number:	N/A
Energy Storage Mechanism:	Battery
Energy Storage System Technology:	Valve Regulated Lead-acid Battery
<b>Energy Storage System Configuration:</b>	Integral
Energy Storage System Removable to Another Room:	No
Energy Storage System Runtime at 100% Load (min.):	2
Energy Storage System Runtime at 50% Load (min.):	8
Energy Storage System Warranty (yrs):	3
Energy Storage System Information URL:	http://www.cyberpowersystems.com/
<b>Network Connections Available:</b>	Serial Port,Ethernet,USB Port
<b>Communication Protocols:</b>	HTTP,HTTPS,SNMP (v1, 2 or 3)
Manufacturer Take Back Program:	Yes
Manufacturer Take Back Program URL:	https://www.cyberpowersystems.com/faqs/how-do-i-dispose-of-my-ups/
Model Web Page URL:	http://www.cyberpowersystems.com/
Test Method Guidelines:	http://www.cyberpowersystems.com/
Date Available on Market:	2025-02-15
Date Certified:	2025-01-08
Markets:	United States
ENERGY STAR Certified:	Yes

## **Additional Model Information**

 $\label{eq:control} OL2K2RMN, OL2K2RTHD, OL2K2RTHD, OL2K2RTHDLI, OL2K2RTHDLI, OL2K2RTHDLI, OL2K2RTHDLIN, OL2K2RTHDN, OL2K2RTHDN, OL2K2RTHDTAA, OL2K2RTHDTAA, OL2K2RTHDTAAN, OL2KARTHDTAAN, OL2KARTHDTAAN, OL2KARTHDTAAN, OL2KARTHDTAAN, OL2KARTHDTAAN, OL2KARTHDTAAN, OL2KARTHDTAAN, OL2KARTHDTAAN, OL2KARTHDAAN, OL2KARTHDAAN, OL2KARTHDAAN, OL2KARTHDAAN, OL2KARTHDAAN, OL2KARTHDAAN, OL2K$ 

**UPC Codes** 649532937318

**Captured On:** 05/01/2025